



Safety Data Sheet

Kemsol Indo 205 Paint Stripper & Graffiti Remover

SECTION 1. IDENTIFICATION

Product Identifier Kemsol Indo 205 Paint Stripper & Graffiti Remover
Recommended Use Graffiti Remover.
Manufacturer/Supplier Identifier Kemsol Product Ltd., 1120 McDonald St., Regina, SK, S4N 4X3, 306-569-0636, www.kemsol.com
Emergency Phone No. Canutec, (613) 996-6666, Collect calls accepted or dial 666 on your cellular
SDS No. 1

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Oral) - Category 5; Skin irritation - Category 2; Eye irritation - Category 2B; Skin sensitization - Category 1B

Label Elements



Warning

Causes skin and eye irritation.

May cause an allergic skin reaction.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Diethylene glycol monoethyl ether	111-90-0	60-100	
DIMETHYL GLUTARATE	1119-40-0	10-30	
DIMETHYL SUCCINATE	106-65-0	3-7	
DIMETHYL ADIPATE	627-93-0	3-7	
d-Limonene	5989-27-5	0.5-1.5	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing.

Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Clean clothing, shoes and leather goods.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth with water. Drink 1 or 2 glasses of water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

Review Section 11 (Toxicological) of this Safety Data Sheet.

Immediate Medical Attention and Special Treatment

Special Instructions

Treat Symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Specific Hazards Arising from the Product

See Section 9 (Physical and Chemical Properties) for flash point and explosive limits.

Special Protective Equipment and Precautions for Fire-fighters

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: dike spilled product to prevent runoff. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. Prevent accidental contact with incompatible chemicals. Keep containers tightly closed when not in use or empty.

Conditions for Safe Storage

Separate from incompatible materials (see Section 10: Stability and Reactivity). Store in the original, labelled, shipping container. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
d-Limonene	Not				30 ppm	

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

	established					
Diethylene glycol monoethyl ether	Not established		Not established			
DIMETHYL SUCCINATE			Not established	Not established		
DIMETHYL GLUTARATE	Not established	Not established	Not established			
DIMETHYL ADIPATE	Not established			Not established		

Appropriate Engineering Controls

General ventilation is usually adequate.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear liquid.
Odour	Citrus
Odour Threshold	Not available
pH	7
Initial Boiling Point/Range	> 190 °C
Flash Point	Not applicable
Evaporation Rate	< 0.02 (diethyl ether = 1)
Flammability (solid, gas)	Not applicable (liquid).
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	< 0.2 mm Hg
Vapour Density (air = 1)	> 1
Relative Density (water = 1)	1.01
Solubility	Slightly soluble in water

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

Other Information

Physical State

Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Freezing. Incompatible materials.

Incompatible Materials

Acid anhydrides (e.g. acetic anhydride), oxidizing agents (e.g. peroxides).

Hazardous Decomposition Products

Carbon oxides, oxides of phosphorus other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation; skin contact; skin absorption; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
d-Limonene		4400 mg/kg (rat)	
Diethylene glycol monoethyl ether	> 5240 mg/m ³ (rat) (4-hour exposure)	8690 mg/kg (rat)	
DIMETHYL SUCCINATE		5500 mg/kg (mouse)	
DIMETHYL GLUTARATE		> 5000 mg/kg (rat)	
DIMETHYL ADIPATE		11300 mg/kg (rat)	

Skin Corrosion/Irritation

Human experience shows mild irritation.

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

Serious Eye Damage/Irritation

Human experience shows mild irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation.

Skin Absorption

Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Ingestion

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

Respiratory and/or Skin Sensitization

Sensitization may occur following exposure to the liquid or vapour. (d-Limonene)

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
d-Limonene	Group 3	Not designated	Not Listed	Not Listed
Diethylene glycol monoethyl ether	Not Listed	Not designated	Not Listed	Not Listed
DIMETHYL SUCCINATE	Not Listed	Not designated	Not Listed	Not Listed
DIMETHYL GLUTARATE	Not Listed	Not designated	Not Listed	Not Listed
DIMETHYL ADIPATE	Not Listed	Not designated	Not Listed	Not Listed

(d-Limonene) Group 3 – Not classifiable as to its carcinogenicity to humans.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

Ecotoxicity

No data is available on the product itself. It is good practice to prevent releases into the environment.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Page 06 of 08

Date of Preparation: April 20, 2016

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

WHMIS 1988 Classification

D2B - Toxic (Skin irritant; Eye irritant; Skin sensitization)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

(d-Limonene) Part 5.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

NFPA Rating **Health - 2** **Flammability - 0** **Instability - 0**

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover

SDS No.: 1

Date of Preparation: April 20, 2016

SDS Prepared By Kemsol Products Ltd.
Phone No. 1-800-667-8113
Date of Preparation April 20, 2016
Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists
AIHA® = AIHA® Guideline Foundation. HSDB® = Hazardous Substances Data Bank
IARC = International Agency for Research on Cancer
NFPA = National Fire Prevention Association
NIOSH = National Institute for Occupational Safety and Health
NTP = National Toxicology Program
OSHA = US Occupational Safety and Health Administration
RTECS® = Registry of Toxic Effects of Chemical Substances
References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).
Disclaimer Information for this SDS was obtained from sources considered technically accurate and reliable. While every effort has been made to insure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements GHS/WHMIS 2015. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form.

Product Identifier: Kemsol Indo 205 Paint Stripper & Graffiti Remover
SDS No.: 1
Date of Preparation: April 20, 2016

Page 08 of 08