



Safety Data Sheet

Kemsol Speedstrip

SECTION 1. IDENTIFICATION

Product Identifier	Kemsol Speedstrip
Recommended Use	Wax Stripper.
Manufacturer/Supplier Identifier	Kemsol Product Ltd., 1120 McDonald St., Regina, SK, S4N 4X3, 306-569-0636, www.kemsol.com
Emergency Phone No.	Canutec, (613) 996-6666, Collect calls accepted or dial 666 on your cellular
SDS No.	1

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Corrosive to metals - Category 1; Acute toxicity (Oral) - Category 4; Skin corrosion - Category 1C; Eye irritation - Category 2A

Label Elements



Danger

Causes severe skin burns and eye damage.

May be corrosive to metals.

Combustible liquid.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

Call a POISON CENTRE or doctor if you feel unwell.

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
2-Butoxyethanol	111-76-2	10-30	
Ethanolamine	141-43-5	5-10	
1-Methyl-2-pyrrolidinone	872-50-4	1-5	
Tetrasodium ethylenediaminetetraacetate	64-02-8	0.5-1.5	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Immediately rinse skin with lukewarm, gently flowing water for at least 30 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts).

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

Rinse mouth with water. Drink 1 or 2 glasses of water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

Review Section 11 (Toxicological) of this Safety Data Sheet.

Immediate Medical Attention and Special Treatment

Special Instructions

Treat Symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder or appropriate foam.

Specific Hazards Arising from the Product

See Section 9 (Physical and Chemical Properties) for flash point and explosive limits.

Special Protective Equipment and Precautions for Fire-fighters

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: dike spilled product to prevent runoff. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. Prevent accidental contact with incompatible chemicals. Keep containers tightly closed when not in use or empty.

Conditions for Safe Storage

Separate from incompatible materials (see Section 10: Stability and Reactivity). Store in the original, labelled, shipping container. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

Ethanolamine	3 ppm	6 ppm	3 ppm			
2-Butoxyethanol	20 ppm A3		25 ppm Skin			
1-Methyl-2-pyrrolidinone	Not established		Not established		10 ppm Skin	
Tetrasodium ethylenediaminetetraacetate	Not established		Not established			

Appropriate Engineering Controls

General ventilation is usually adequate.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear colourless liquid.
Odour	Aromatic
pH	13.80
Initial Boiling Point/Range	Not available
Flash Point	> 62 °C (closed cup)
Flammability (solid, gas)	Not applicable (liquid).
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.040
Solubility	Soluble in water
Auto-ignition Temperature	Not applicable
Other Information	
Physical State	Liquid

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Freezing. Incompatible materials.

Incompatible Materials

Acid anhydrides (e.g. acetic anhydride), oxidizing agents (e.g. peroxides).

Hazardous Decomposition Products

Carbon oxides, oxides of phosphorus other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation; skin contact; skin absorption; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Ethanolamine	> 1210 mg/m ³ (mouse) (4-hour exposure)	1720 mg/kg (rat)	
2-Butoxyethanol	925 ppm (rat) (4-hour exposure)	530 mg/kg (female rat)	
1-Methyl-2-pyrrolidinone	< 5100 mg/m ³ (rat) (4-hour exposure)	3906 mg/kg (rat)	
Tetrasodium ethylenediaminetetraacetate		Not available	

Skin Corrosion/Irritation

Repeated or prolonged exposure can irritate or burn the skin.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause chemical burns to respiratory tract. Symptoms may include coughing, shortness of breath, difficult breathing and tightness in the chest.

Skin Absorption

Prolonged or repeated exposure can cause drying, defatting and dermatitis. May be absorbed through the skin in toxic amounts if contact is repeated and prolonged; may cause blood damage based on published data; these effects have not been observed in humans.

Ingestion

Harmful May cause severe irritation or burns to the mouth, throat and stomach.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Ethanolamine	Not Listed	Not designated	Not Listed	Not Listed
2-Butoxyethanol	Group 3	A3	Not Listed	Not Listed
1-Methyl-2-pyrrolidinone	Not Listed	Not designated	Not Listed	Not Listed
Tetrasodium ethylenediaminetetraacetate	Not Listed	Not designated	Not Listed	Not Listed

(2-Butoxyethanol) Group 3 – Not classifiable as to its carcinogenicity to humans. A3 – Confirmed animal carcinogen.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

Ecotoxicity

No data is available on the product itself. It is good practice to prevent releases into the environment.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	2491	Ethanolamine (Ethanolamine)	8	III

Environmental Hazards Environmentally Hazardous Substance (Ethanolamine)

Emergency Response Guide No. 153

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

WHMIS 1988 Classification

B3 - Combustible Liquid; D2B - Toxic; E - Corrosive

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

(2-Butoxyethanol) Part 1A, Part 5. (1-Methyl-2-pyrrolidinone) Part 1A.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Product Identifier: Kemsol Speedstrip

SDS No.: 1

Date of Preparation: April 20, 2016

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 3 Flammability - 2 Instability - 0
SDS Prepared By	Kemsol Products Ltd.
Phone No.	1-800-667-8113
Date of Preparation	April 20, 2016
Key to Abbreviations	ACGIH® = American Conference of Governmental Industrial Hygienists AIHA® = AIHA® Guideline Foundation. HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer NFPA = National Fire Prevention Association NIOSH = National Institute for Occupational Safety and Health NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration RTECS® = Registry of Toxic Effects of Chemical Substances
References	CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).
Disclaimer	Information for this SDS was obtained from sources considered technically accurate and reliable. While every effort has been made to insure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements GHS/WHMIS 2015. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form.

Product Identifier: Kemsol Speedstrip
SDS No.: 1
Date of Preparation: April 20, 2016

Page 08 of 08