



# Safety Data Sheet

## Kemsol Steelshine

### SECTION 1. IDENTIFICATION

|   |   |
|---|---|
| <b>Product Identifier</b>               | Kemsol Steelshine   |
| <b>Recommended Use</b>                  | Stainless Steel Cleaner.  |
| <b>Manufacturer/Supplier Identifier</b> | Kemsol Product Ltd., 1120 McDonald St., Regina, SK, S4N 4X3, 306-569-0636, www.kemsol.com |
| <b>Emergency Phone No.</b>              | Canutec, (613) 996-6666, Collect calls accepted or dial 666 on your cellular              |
| <b>SDS No.</b>                          | 1   |

### SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

#### Classification

Flammable liquid - Category 2; Acute toxicity (Oral) - Category 5; Skin irritation - Category 2; Eye irritation - Category 2B; Aspiration hazard - Category 2

#### Label Elements



#### Danger

May be harmful if swallowed and enters airways.

Causes skin and eye irritation.

Highly flammable liquid and vapour.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a POISON CENTRE or doctor if you feel unwell.

Dispose of contents and container in accordance with local, regional, national and international regulations.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                 | CAS No.   | %      | Other Identifiers |
|-------------------------------|-----------|--------|-------------------|
| White mineral oil (petroleum) | 8042-47-5 | 60-100 |                   |
| 2-Propanol                    | 67-63-0   | 5-10   |                   |

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Move to fresh air. Keep at rest in a position comfortable for breathing.

|                      |                   |
|----------------------|-------------------|
| Product Identifier:  | Kemsol Steelshine |
| SDS No.:             | 1                 |
| Date of Preparation: | February 03, 2017 |

### **Skin Contact**

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

### **Eye Contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### **Ingestion**

Rinse mouth with water. Drink 1 or 2 glasses of water. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting.

### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

### **Most Important Symptoms and Effects, Acute and Delayed**

Review Section 11 (Toxicological) of this Safety Data Sheet.

### **Immediate Medical Attention and Special Treatment**

#### **Special Instructions**

Treat Symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Carbon dioxide, dry chemical powder or appropriate foam.

### **Specific Hazards Arising from the Product**

See Section 9 (Physical and Chemical Properties) for flash point and explosive limits.

### **Special Protective Equipment and Precautions for Fire-fighters**

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway.

### **Methods and Materials for Containment and Cleaning Up**

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up. Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal. Large spills or leaks: dike spilled product to prevent runoff. Review Section 13 (Disposal Considerations) of this safety data sheet.

### **Other Information**

Report spills to local health, safety and environmental authorities, as required.

## **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wear personal protective equipment to avoid direct contact with this chemical. Prevent accidental contact with incompatible chemicals. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep containers tightly closed when not in use or empty.

### **Conditions for Safe Storage**

Separate from incompatible materials (see Section 10: Stability and Reactivity). Store in the original, labelled, shipping container. Separate from incompatible materials (see Section 10: Stability and Reactivity). Comply with all applicable health and safety regulations, fire and building codes.

---

Product Identifier: Kemsol Steelshine  
SDS No.: 1  
Date of Preparation: February 03, 2017

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Chemical Name                 | ACGIH TLV® |         | OSHA PEL        |         | AIHA WEEL |     |
|-------------------------------|------------|---------|-----------------|---------|-----------|-----|
|                               | TWA        | STEL    | TWA             | Ceiling | 8-hr TWA  | TWA |
| 2-Propanol                    | 200 ppm A4 | 400 ppm | 400 ppm         |         |           |     |
| White mineral oil (petroleum) | 5 mg/m3 A4 |         | Not established |         |           |     |

### Appropriate Engineering Controls

General ventilation is usually adequate.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

#### Respiratory Protection

Wear a NIOSH approved particulate respirator equipped with an N95, R95, or P95 filter.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

|   |   |
|---|---|
| Appearance                                  | Colourless liquid.                                    |
| Odour                                       | Alcoholic   |
| Initial Boiling Point/Range                 | Not available   |
| Flash Point                                 | 18 °C (closed cup)                                    |
| Evaporation Rate                            | < 1   |
| Flammability (solid, gas)                   | Not applicable  |
| Upper/Lower Flammability or Explosive Limit | 12.7% (2-Propanol) (upper); 2.0% (2-Propanol) (lower) |
| Vapour Pressure                             | Not available   |
| Vapour Density (air = 1)                    | < 1   |
| Relative Density (water = 1)                | 0.84  |
| Solubility                                  | Insoluble in water                                    |
| Auto-ignition Temperature                   | Not available   |
| Other Information                           |   |
| Physical State                              | Liquid  |

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Freezing. Incompatible materials. Open flames, sparks, static discharge, heat and other ignition sources.

### Incompatible Materials

Product Identifier: Kemsol Steelshine  
SDS No.: 1  
Date of Preparation: February 03, 2017

Strong acids (e.g. hydrochloric acid), strong oxidizing agents (e.g. perchloric acid).

#### **Hazardous Decomposition Products**

Carbon oxides, oxides of phosphorus other unidentified organic compounds.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information presented below is for the entire product, unless otherwise specified.

#### **Likely Routes of Exposure**

Inhalation; skin contact; skin absorption; eye contact; ingestion.

#### **Acute Toxicity**

| <b>Chemical Name</b>          | <b>LC50</b>                       | <b>LD50 (oral)</b> | <b>LD50 (dermal)</b> |
|-------------------------------|-----------------------------------|--------------------|----------------------|
| 2-Propanol                    | 17000 ppm (rat) (4-hour exposure) | 4720 mg/kg (rat)   |                      |
| White mineral oil (petroleum) | > 2180 mg/m3 (rat)                | > 5000 mg/kg (rat) |                      |

#### **Skin Corrosion/Irritation**

May cause mild irritation based on information for closely related chemicals.

#### **Serious Eye Damage/Irritation**

May cause very mild irritation based on information for closely related chemicals.

#### **STOT (Specific Target Organ Toxicity) - Single Exposure**

##### **Inhalation**

May cause nose and throat irritation.

##### **Skin Absorption**

Prolonged or repeated exposure can cause drying, defatting and dermatitis.

##### **Ingestion**

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

#### **Aspiration Hazard**

Can cause lung damage if aspirated based on human experience.

#### **STOT (Specific Target Organ Toxicity) - Repeated Exposure**

Effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

#### **Respiratory and/or Skin Sensitization**

Not a respiratory sensitizer. Not a skin sensitizer.

#### **Carcinogenicity**

| <b>Chemical Name</b>          | <b>IARC</b> | <b>ACGIH®</b> | <b>NTP</b> | <b>OSHA</b> |
|-------------------------------|-------------|---------------|------------|-------------|
| 2-Propanol                    | Group 3     | A4            | Not Listed | Not Listed  |
| White mineral oil (petroleum) | Group 3     | A4            | Not Listed | Not Listed  |

Group 3 – Not classifiable as to its carcinogenicity to humans. A4 – Not classifiable as a human carcinogen.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

## **SECTION 12. ECOLOGICAL INFORMATION**

Environmental information was not located.

#### **Persistence and Degradability**

No information was located.

#### **Bioaccumulative Potential**

No information was located.

Product Identifier: Kemsol Steelshine  
SDS No.: 1  
Date of Preparation: February 03, 2017

### Mobility in Soil

No information was located.

### Other Adverse Effects

There is no information available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

## SECTION 14. TRANSPORT INFORMATION

**Environmental Hazards** Environmentally Hazardous Substance (2-Propanol)

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

##### WHMIS 1988 Classification

B2 - Flammable Liquid; D2B - Toxic (Skin irritant; Eye irritant)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

##### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

##### CEPA - National Pollutant Release Inventory (NPRI)

(White mineral oil (petroleum)) Part 5. (2-Propanol) Part 1A, Part 5.

#### USA

##### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

## SECTION 16. OTHER INFORMATION

**NFPA Rating** Health - 2 Flammability - 3 Instability - 0

**SDS Prepared By** Kemsol Products Ltd.

**Phone No.** 1-800-667-8113

**Date of Preparation** February 03, 2017

**Key to Abbreviations** ACGIH® = American Conference of Governmental Industrial Hygienists  
AIHA® = AIHA® Guideline Foundation. HSDB® = Hazardous Substances Data Bank  
IARC = International Agency for Research on Cancer  
NFPA = National Fire Prevention Association  
NIOSH = National Institute for Occupational Safety and Health  
NTP = National Toxicology Program  
OSHA = US Occupational Safety and Health Administration  
RTECS® = Registry of Toxic Effects of Chemical Substances

**Disclaimer** Information for this SDS was obtained from sources considered technically accurate and reliable. While every effort has been made to insure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond

Product Identifier: Kemsol Steelshine

SDS No.: 1

Date of Preparation: February 03, 2017

control of the supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements GHS/WHMIS 2015. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form.

---

Product Identifier: Kemsol Steelshine  
SDS No.: 1  
Date of Preparation: February 03, 2017

Page 06 of 06